



Government Women's College, Keonjhar

Advertisement for Quotation Call Notice

Sealed quotations are invited on the letter head from the intending manufacturers/dealers/suppliers/firms having valid GST/MSME certificate for supply of spin coating system on or before 27-03-2025 by 5:00 PM.

For details one may visit the website of Government Women's College, Keonjhar (<http://www.gwckeonjhar.in>). The undersigned reserves the right to cancel the quotation call and advertisement without assigning any reason thereof.

Rehore 12/03/25
Principal Investigator (MRI)
Principal Investigator (MRI)
GOVT. WOMEN'S COLLEGE, KEONJHAR
Keonjhar

Govt. Women's College, Keonjhar

Keonjhar

Principal 12/03/25
Govt. Women's College
Keonjhar

NOTIFICATION FOR QUOTATION

Sealed quotations are hereby invited from interested scientific manufactures/Registered firms/Distributors/Suppliers to supply equipment to the Principal Investigator, MRIP-2024 project, Department of Physics, Government Women's College, Keonjhar, as per the specification given in Annexure-I.


Enclosure with Quotations:

The firms/suppliers should provide a set of photocopies of all the following documents for their participation in this quotation call notice.

1. Valid PAN card
2. Valid GSTIN
3. Last GST return acknowledgement receipt
4. Valid MSME certificate
5. Last 2 years income tax clearance document
6. Not debarred from supply to any Govt. Institutions
7. List of purchase orders to the other Govt. Institutions

Quotation schedule and other terms and conditions:


1. Last date and time to receive quotations 27-03-2025 by 5:00 PM by speed post/Redg. Post only.
2. Opening of Quotation: 28-03-2025 at 3:00 PM.
3. Quotations received after the due date or incomplete in any respect shall summarily rejected.
4. The sealed envelope should indicate thereon:
 - a. Name and address of the firm with contact number
5. The quotation envelope should be clearly marked as "Quotation for MRIP-2024 Project (Physics)" on the top of relevant envelope.
6. The quotations should be addressed to, Dr. Sanjay Kumar Behera, Principal Investigator MRIP-2024 Project, Department of Physics, Government Women's College, Keonjhar, Keonjhar-758001, Odisha, India.
7. The quotations will be opened on the above said date and time following OGFR-2024 guidelines in the presence of participants of their authorized representatives in the office of Principal, Govt. Women's College, Keonjhar, in the presence of purchase committee members.
8. Delivery of all the items should be made to the Principal Investigator, MRIP-2024 Project Department of Physics, Government Women's College, Keonjhar, Keonjhar-758001, Odisha, India, during office hours at the risk of the supplier and free of cost within seven days from the date of issue of the supply order.
9. For each item of the quotation, mention the percentage of discount (%) at appropriate place of the quotation on latest actual price list of the supply order.
10. Dispute, if any, with regards to the quotation will be settled only in the jurisdiction of Keonjhar District Court, Odisha.
11. The undersigned reserves the right to accept any part of the quotation and can increase or decrease or cancel the procurement without assigning any reason thereof.


Behera
12/03/25
Principal Investigator (MRI)
Govt. Women's College, Keonjhar
Keonjhar


12/03/25
Principal
Govt. Womens College
Keonjhar

ANNEXURE-I

Sl. No.	Name of Equipment	Specification	Quantity
1	Spin Coating System	<p>1. Spin coater: Programmable Speed Range: 500-6,000 R.P.M. [based on a Glass Substrate of Dimension 38 mm (L) X 25 mm (W) & Thickness 1 mm (H)], Acceleration Range: 165-2,000 R.P.M./sec. [based on a Glass Substrate of Dimension 38 mm (L) X 25 mm (W) & Thickness 1 mm (H)], $\leq 1\%$ Error across the Full Speed Range Programmable Controlling Duration: 1-1,200 sec./step, 1 Preset Editable Program 1 Editable Step/Program Micro-controller Controlled Warm-up Option Calibration Option High-speed DC Motor Non-volatile Program Memory User-friendly Firmware Interface Input & Controlling through Push-dial Encoder PTFE coated Working Chamber of 6" Diameter Integrated Power On/Off Switch with Indicator Transparent Photo-resist Safety Lid over the Working Chamber Real-time Display of R.P.M., Timing & Program Status on 4 Line LCD Console Real-time Display of R.P.M. during Warm-up & Calibration on Graphical LCD Console Power Input: Universal.</p> <p>2. Vacuum Pump: Vacuum: -550 mm/Hg. (Maximum), Flow Rate: 15 l/min, Maximum Operating Pressure: 25 psi, Power: 1/20 HP, Dimension: 150 mm x 110 mm x 140 mm, Net Weight: 2.5 kg, No Lubrication required, Noiseless, Absolutely Portable, Totally Oil-free Construction, Practically Maintenance-free all parts made from Special Graded Aluminium die-cast Material for Light Weight & Good Strength, Diaphragms are made of Special Type Polynylon & Reinforced Neoprene Rubber, Built-in Micro-suction Filter, Extra-large Bearings for Trouble-free & Smooth Running.</p> <p>3. Substrate Holder: 50 mm diameter.</p>	01


 Behena
 12/03/25
 Principal Investigator (MRI)
 Govt. Women's College, Keonjhar
 Keonjhar


 12/03/25
 Principal
 Govt. Womens College
 Keonjhar